

TU Tensioner

AUTOMATIC TENSIONER WITH UNLIMITED TENSIONING LENGTHS.





WE'VE MADE IT EASY, RELIABLE AND REALLY PRACTICAL.

Keeps its attractive finish a long time

ALLE

C

Tractive force up to 1000 kg. Adapted to suit individual market requirements


Simple, reliable mechanism with few moving parts

Minimal maintenance

Easy to replace wear parts.

Automatic tensioning

A COMPACT TENSIONER IN A NEW, MODERN DESIGN



ŵ

 \square

凸

exte.se youtube.com/exteswe

The TU tensioner was developed to secure all kinds of heavy haulage loads, be they timber or other kinds of goods. Pneumatic tensioner mechanism release is available as an option. Release takes place at the press of a button in the cab. This means a wider field of application e.g. when the tensioner is located under a truckbed/box body where access is not the best. The tensioner can be tensioned manually when necessary.

TU TENSIONER ACCESSORIES

Spools

- Large spool for 10 m strap
- Small spool for 2 m strap
- Small spool for 2 m short link chain
- Small, wide spool for 10 m strap

Attachments

- For frame attachment
- Underhung for bunk mounting, A-Series
- Underhung for bunk mounting, D-Series
- Underhung for bunk mounting, S-Series
- Underhung, side mounted raised bunk attachment for A-Series

Other

- Pneumatic release
- Strap control





A complete list of attachments, accessories and their different variants is available on our website at www.exte.se.

Further information: Further technical information is available on our website at www.exte.se along with installation instructions for the TU Tensioner. Download from our website or order by phone on +46 (0)651-175 00, fax +46 (0)651-175 05 or email info@exte.se.

